

Actual4Labs

Pass Your Next Certification Exam Fast!

Login / Register

Shopping Cart (0)

Everything you need to prepare, learn & pass your certification exam easily.

Search...



Online Test Engine

Instant Online Access, Test History and Performance Review, Supports Windows / Mac / Android / iOS, etc. →

Desktop Test Engine

Installable Software Application, Simulates Real Exam Environment, Supports MS Operating System, Practice Offline Anytime. →

PDF Format

Printable PDF Format, Prepared by IT Experts, Study Anywhere, Anytime, Free PDF Demo Available. →

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.actual4labs.com>

Excellent Quality Exam Dumps Questions Never Let You down -
Actual4Labs

Exam : **C-SACP-2221**

Title : Certified Application Associate
- SAP Analytics Cloud: Plannin
g

Vendor : SAP

Version : DEMO

NO.1 Which SAP Analytics Cloud Machine Learning function provides performance indicators that can be used to evaluate the accuracy of a statistical model?

- A. Smart Grouping
- B. Smart Insights
- C. Smart Predict
- D. Smart Discovery

Answer: C

NO.2 You enter plan values by year and product group. You want to allocate these values to months and products in proportion to last year's actual data. What setting in the allocation process is required to achieve this?

- A. Add date as a source dimension
- B. Add product as a reference dimension
- C. Add date as a reference dimension
- D. Add product as a source dimension

Answer: B

NO.3 Your account dimension has an account for Profit that is calculated as [Revenue] - [Cost]. Which formula can you use to enter a value for Profit and have the system re-calculate Cost while Revenue remains constant?

- A. [Revenue] - [Cost] := INVERSE ([Cost] = [Revenue] - [Profit])
- B. [Revenue] - [Cost] | INVERSE ([Cost]: = [Revenue] -[Profit])
- C. [Revenue] - [Cost] | INVERSE ([Cost] = [Revenue] -[Profit])

Answer: B

NO.4 From which S/4HANA source table can you import actual data for cost centers?

- A. GLTO
- B. BSEG
- C. ACDOCU
- D. ACDOCA

Answer: D

NO.5 Which work files can you access when you run a planning process? Note: There are 2 correct answers to this question.

- A. Dashboard
- B. Workbook
- C. URL Link
- D. Analytic Application

Answer: C,D

NO.6 When you enable currency translation for a planning model with an account dimension which object is added to the model automatically?

- A. Currency dimension

- B. Currency property
- C. Rate type property

Answer: A

NO.7 What node types can be imported from S/4HANA? Note: There are 3 correct answers to this question.

- A. L
- B. T
- C. R
- D. H
- E. N

Answer: A,C,E

NO.8 When you set up a copy data action, what must you do to allow the user to select the source and target version?

- A. Create a parameter for the target version.
- B. Create a parameter for the source version
- C. Add a copy rule for version

Answer: B

NO.9 When you import group reporting data from SAP S/4HANA to an SAP Analytics Cloud planning model, which mappings are required? Note: There are 2 correct answers to this question

- A. Consolidation unit to an SAP Analytics Cloud entity
- B. Financial statement item to an SAP Analytics Cloud account
- C. General ledger account to an SAP Analytics Cloud account
- D. Company to an SAP Analytics Cloud entity

Answer: A,B

NO.10 Which dimension types support the system-generated Person Responsible property? Note: There are 2 correct answers to this question.

- A. Version
- B. Organization
- C. Generic
- D. Account

Answer: B,C

NO.11 Why do you use a table formula?

- A. To create an on-the-fly calculation
- B. To enable allocation of data
- C. To disaggregate data
- D. To define link dimensiones

Answer: A