

Actual4Labs

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

Login / Register

Shopping Cart (0)

Search...



Online Test Engine

Instant Online Access, Test History and Performance Review, Supports Windows / Mac / Android / iOS, etc. →

Desktop Test Engine

Installable Software Application, Simulates Real Exam Environment, Supports MS Operating System, Practice Offline Anytime. →

PDF Format

Printable PDF Format, Prepared by IT Experts, Study Anywhere, Anytime, Free PDF Demo Available. →

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.actual4labs.com>

Excellent Quality Exam Dumps Questions Never Let You down -
Actual4Labs

Exam : **CWAP-402**

Title : Certified Wireless Analysis
Professional

Vendor : CWNP

Version : DEMO

NO.1 You are attempting to work through a user complaint with the CWNP-recommended troubleshooting methodology.

What must be clearly identified in order to reduce the number of possible causes at step three?

- A. The user name
- B. The problem
- C. The device type
- D. The user's IP configuration

Answer: B

NO.2 You are working in an organization that has implemented an SCA-based WLAN. You want to change the RF channel for a single AP.

What can you do to perform this task with some SCA solutions?

- A. Access the AP using SSH and change the channel
- B. Access the AP through the console port and change the channel
- C. Access the AP using Telnet and change the channel
- D. Convert the network to MCA

Answer: D

NO.3 You view a protocol analyzer capture decode with the following protocol frames listed in the following order (excluding the ACK frames): 1) 802.11 Probe Request and 802.11 Probe

Response 2) 802.11 Auth and another 802.11 Auth 2) 802.11 Assoc Req and 802.11 Assoc Rsp 4) EAPOL-Start 5) EAP Request and EAP Response 6) EAP Request and EAP Response 7) EAP Request and EAP Response 8) EAP Request and EAP Response 9) EAP Request and EAP Response 10) EAP Success 19) EAPOL-Key (4 frames in a row)

What are you seeing in the capture file?

- A. WPA2-Personal authentication
- B. Wi-Fi Protected Setup with PIN
- C. WPA2-Enterprise authentication
- D. 802.1X with Dynamic WEP

Answer: C

NO.4 You are troubleshooting problems with DHCP in relation to lightweight APs. The vendor class identifier (VCI) is not specified in the DHCP server. When you contact vendor support, they inform you that it is not necessary.

When is this information true?

- A. When only one client option 43 value is required
- B. When only one AP exists on the subnet
- C. When the DHCP server is directly connected to the subnet
- D. When only one client option 60 value is required

Answer: A

Explanation:

The DHCP server should be configured to provide the IP address information to the APs, but it may also be required to pass information for option 43. Option 43 is a vendor information option and can be used for any vendor purpose. The vendor class identifier (VCI) (for example, "Cisco AP c3600") is used with option 60 to determine the appropriate information to return with option 43.

NO.5 ABC Company requires the ability to identify and quickly locate rogue devices. ABC has chosen an overlay WIPS solution with Wi-Fi sensors that use dipole antennas to perform this task. No other sensors are included. Use your knowledge of location tracking techniques to answer the question. Which one of the following location methods is not available in the described system?

- A. GPS Positioning
- B. Time Difference of Arrival (TDoA)
- C. RF Fingerprinting
- D. Trilateration of RSSI measurements

Answer: C